





Contact us - see the back cover for details

Offers end 31st Jan 2015

CVSMARTCHOICE*news*

Welcome to CV Smart Choice!

Welcome to our first edition of CV Smart Choice. our new quarterly publication.

Our first issue brings you a taste of what we have to offer, from original equipment and original equipment quality parts to garage equipment and a whole host of offerings to help your business.

Don't miss the competition on the back page, courtesy of TTC, for a huge pile of choices for Valentine's Day - simply answer two questions and send your entry form to the fax number or address shown, to arrive by 31st January 2015. There are 12 first prizes so it's worth

entering! Future issues will offer

you tech tips, tools, consumables and stacks of great offers!

So read on and learn about our range, low prices and new products, technical developments and promotions. Enjoy!



We're going global! ADI forms joint venture 1Parts

At the beginning of last year we became a partner of a cross European international buying group - Autodistribution International, or ADI. Our partnership has already led to improved buying and technical developments are being rolled out into next year.

Now ADI has signed a joint venture agreement with Pronto, the premier North American buying group. The new global buying group is called 1Parts and because of our partnership with ADI we (and therefore you) will reap the benefits.

1Parts offers a wealth of opportunities for supplier cooperation. Many of our key suppliers operate across the North American continent. while strong European and US suppliers may take this opportunity to 'cross the pond'.

The main benefits will lie in the benchmarking of best practice and the expansion of training, technical and customer support programmes. In an age of global vehicle manufacturers and global Tier 1 parts suppliers, a global aftermarket operation makes perfect sense.

> Ask us for ou WINTER

SPECIA

The 1Parts venture boasts global turnover across 35 countries to professional installers in Europe, North Africa, Central Asia and North America of €7.7 billion, delivering parts, products, tools and equipment.



Look forward to better service, more technical input and training programmes to add to the widest range of the best parts in the world.

Visit www.1parts.net for more information on this exciting global group and talk to your local branch about how you can get the most from this exciting new venture.



Stock up on winter must-haves

Don't get caught out this winter! Did you know we stock a full range of winter must-haves? Ask for our fantastic special offers:

- Rock Salt
- TFR (traffic film remover) (25L)
- Screen Wash (5L, 25L, 205L)
- Deionised Water (5L, 25L) De-icer (750ml)
- Boosters
- Chargers
- Snow Shovels & Scrapers
- Antifreeze & Coolants
- Space Heaters
- Jump leads
- & much more...

New tech for Commercial Vehicles from Ring - contact your local branch to order

7" Camera System Kit (RBGB1070)

- Improve safety when manoeuvring commercial vehicles
- Fully adjustable 7" screen
- Waterproof camera including audio and night vision
- Dual channel video input (to connect additional camera



PowerSource Professional Inverters Never run out of power again, with new technology from Ring!

- Ideal for powering tools & equipment in demanding or remote environments without a normal mains supply, such as service vehicles & commercial applications
- Pure sine wave & modified sine wave versions



RINVPR1000 PowerSource Inverter Pure Sine Wave

RINVM1000 PowerSource Inverter Modified Sine Wave



Smart Products, Smart Prices, Smart Promise...from the people who care!

D%uble pr%fiting!

Fleetguard[®]

Fuel Filters & Filtration

Your 2-stage plan to protect your equipment at an exceptional price!

Stage I - Bulk Tank Filtration

Fuel is not clean enough. Only 43% (!) of fuel samples worldwide meet ISO 4406 cleanliness code 18/16/13. The use of **bulk tank filtration and tank breathers** is critical, therefore, when it comes to protecting your engine components - especially very sensitive fuel injection systems!

Ask at your local branch for **SPECIAL OFFERS** on the following part numbers:

39331915, 39503655, FF5474, FF5601, FF5618, FS1285, FF5450, FS1283, FS1284, FS19742, FS19745, FS19746, FS19748, FS19749

Stage II - Truck Tank Filtration

Stage II features Fleetguard 'All-In-One' fuel management systems with fuel filter, fuel/water separator and priming pump, assuring a high level of fuel cleanliness - even before the fuel reaches the engine and components.

Ask at your local branch for **SPECIAL OFFERS** on the following part numbers:

FH22144, FH22145, FH22192, FH23622M, FH23069M





FH22192



Fleetguard first-fit quality: filtration and coolant products you can trust



Why shop around when you can get reliable quality from a single supplier? Cummins Filtration[®] is a world-leading supplier of filtration products and systems for heavy-duty applications. With more than 10,000 fuel, lube, air and coolant products, Cummins

FH22144

FH22145

Filtration offers a diverse range of solutions for most applications and customer needs. Fleetguard products are designed to meet, and exceed, all OEM specifications and our unique non-pro rata warranty provides each end-user with the security and quality assurance they demand.



Commercial Vehicl

Europe's largest range of LED vehicle lighting, supplying complete lighting solutions for almost all commercial vehicle types

MULTIFUNCTION

High Brightness Ultra Efficient

- Rear Function Lamps
- Marker Lamps
- Strip Lamps
 Interior Lamps
- Work Lamps
- · Cable Harness Systems
- Warning Lights

ECE APPROVED >

All our lighting is fully ECE approved to European road safety requirements, and rigorously tested to our high quality standards

Contact your nearest branch for more information and SPECIAL OFFERS!

HUGE MARKER LAMP RANGE Great Value! Ask for prices

Powerful Durable Cost Effective

EXCELLENCE IN LED VEHICLE LIGHTING www.ledautolamps-uk.com

Wide range, great quality, low prices

autolamp

Don't get caught out this winter!

With winter just around the corner, it's wise to provide the best protection for WABCO Air Braking Systems

Single Air Dryer

VABCO

Avoid the hassle & time off the road when air systems freeze up! Minimise damage to valves and components from moisture build-up in the system - ensure air dryer cartridge replacement intervals are up to date & carried out if due

WABCO

Twin Air Dryer

Call your local branch for replacement air dryers

Smart Products, Smart Prices, Smart Promise...from the people who care!

Wipers & Unusual Parts

Wiper Blades

Original Equipment & Original Equipment Quality



- Lasting quality
- Full metal structure
- Advanced rubber blades for optimum wiping & long life
- Leading brands

Fantastic Special Offers! Call your local branch today!

SPECIAL OFFERS on bulk blade purchases - call your local branch

Contact us - see the back cover for details



Commercial Vehicle

Commercial Vehicle Battery Types

CV Batteries

Calcium Hybrids offer better deep cycle capability than Ca/Ca batteries

Cargo HD (Heavy Duty)

- Power / cycling ability for cranking requirements of smaller capacity engines
- Supports electrical equipment installed as standard in modern low specification commercial vehicles

Cargo SHD (Super Heavy Duty)

- Greater power / cycling ability for increased cranking requirements of larger capacity CV engines
- Supports electrical equipment installed in higher specification CV (e.g. sleeper cabs with TVs, satellites, microwaves, nightlights, fridges etc)

Cargo Deep Cycle

- For constant shift pattern urban use vehicles, off-road applications, PSV & emergency vehicles
- Cranking power, higher cycling ability & vibration resistance cope with larger capacity CV engines
- Supports high vehicle specification levels & added electrical loads (e.g. tail lifts, refrigeration units, loading mechanisms, etc)
- Glass mat separators for ultimate deep cycle capabilities
- Vibrolock plate fixing gives superior vibration resistance

LCV/Car Batteries

Ca/Ca (Calcium/Calcium Lead Acid)

- Best performance/reliability compared to a standard lead acid battery (calcium strengthens the lead in plate construction and reduces electrolyte loss in warm climates)
- 'Open Vent' or 'Sealed' formats





Selecting the correct battery is vital

An underpowered battery will fail prematurely, causing problems for the vehicle owner.

Ensure the battery has the correct Ah & CCA rating & is a genuine OE replacement.

For the correct fit every time go online to get the Yuasa battery application guide covering CV, PSV & LCV:

www.yuasa.co.uk/

Select Information then Application Guides.



A COSTUMBA COMPANY

Ask your local branch for help when specifying batteries

Battery Charging & Testing

Vehicle alternators are not designed to fully recharge a battery from flat whilst in service. Conventional batteries are designed to operate at virtually full charge at all times.

The alternator continuously tops up the battery with very small amounts of charge to keep it at full capacity. Conventional batteries are not designed to be deeply discharged/recharged.

Regular checks ensure a battery has maximum charge to prevent premature failure. A battery with a low OCV requires an immediate top-charge or replacement.

Use the right charger

Use the right charger to prevent damage to batteries - vital as vehicle technology advances. Yuasa 'Smart' chargers continuously check and monitor battery condition, supplying a controlled charge. The fully charged state is reinstated in the fastest time without damage or overcharging.



Self discharge - Low OCV

Batteries constantly self-discharge. If the OCV (open circuit voltage) drops below 12.4V, a process of 'sulphation' starts. Unchecked, the battery becomes scrap - not faulty - a victim of natural chemical deterioration from lengthy storage, or sporadic, low mileage driving.

Sealed units require digital conductance testing

BATTERY FINCER

Many batteries are sealed nowadays,

offering no access for hydrometer or spectrometer testing (handling battery acid is a health & safety issue) so use a good quality battery tester.



NEW **Starter Motors & Alternators** from an Original Equipment Manufacturer (with no surcharges!)

Quality you can trust!

More powerful than the Original Equipment! **Uprated Heavy Duty Starter Motor** for Mercedes-Benz Atego (M93R3066SE)

More durable & reliable than the standard starter & a significant improvement over copied products available

- 100 % compatible direct drop in replacement (looks similar to OE)
- Output increased to 5.0kW (vs OE 4.0kW) Improved pinion strength pinion size increased, made compatible with Bosch 9t / Delco 11t using an off-set to move pinion to correct the ring gear alignment





Mercedes-Benz Atego Package Deal! 24V, 5.0kW (M93R3066SE) Starter: Alternator: 24V, 110A (860807GB) Special Offer

Prestolite: OE to Cummins, Dennis, MAN, Volvo, Van Hool, etc





Call us for all these Special Offers

DAF LF45/LF55/CF65 Series package 24V, 4.0kW (860815) Starter: Alternator: 24V, 110A (860806) Special Offer

Iveco Eurocargo Series package

Starter: 24V, 4.0kW (860716) Alternator: 24V, 110A (860810GB) Special Offer

POWER OF Тне EXCELLENCE

www.prestolite.com

Smart Products, Smart Prices, Smart Promise...from the people who care!

8

mmercial Vehicle



Automatic Ignition Used Oil Heaters	Model Heat Capacity Fan Capacity Fuel Tank Consumption Compressed Air Sup Displacement
Clean combustion & high efficiency	SB40 153,000 Btu/hr 3200 m3/hr 80 L 4.6 L/hr 1.0 - 1.3 CFM 230
Large airflow blower fans	SB60 204,000 Btu/hr 4100 m3/hr 80 L 6.0 L/hr 1.5 - 1.8 CFM 230
Fan-only facility for summer ventilation	SB80 306,000 Btu/hr 6200 m3/hr 130 L 9.0 L/hr 2.0 - 2.6 CFM 400V SB110 436,000 Btu/hr 8100 m3/hr 130 L 12.8 L/hr 3.0 - 3.6 CFM 400V
Large capacity fuel tanks	
Burners adjustable to use heating oil/diesel Basic room thermostat is standard	0
Optional digital thermostat/time control	These units must be connected to a suitable flue sys
Compressed air supply required for burner	(min 1m above roof apex & 6m above ground level)
Available at extra cost:	A full range of flue accessories is available. Complet
- Flue Kit (from £269)	flue kits include roof seal, fitting kit & two wall ban
- Motor/Pump kits to connect to bulk	Stainless steel flue kits provide 6m ground clearance:
fuel tank	98.085.746 for SB40
Fire Valves, Magnetic Valves & High	98.085.100 for SB60 98.085.170 for SB80 & SB110
Pressure Filters for use with Pump Kits Offer Price 5 Yr Lease pw	Optional extras (additional cost):
040 £3599 £19.93	98.085.399 Motor/Pump kit - for connection to bulk fuel ta
860 £3899 £21.59	with bottom outlet, gravity fed. Max distance 10m. (Pipewore electric cable not included)
	98.087.161 Motor/Pump kit - for connection to bulk fuel ta
B110 £5999 £33.23	with top outlet &/or above 10m distance. (Pipework/electric not included)
ROM	98.085.890 Digital Stat/Timer
SB40/SB60	5B80/SB110 98.085.541 Main Fan Filter kit (SB40 & SB60) 98.085.542 Main Fan Filter kit (SB80 & SB110)
	Also available:
 BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank) 13 Models - heat outputs up to 381Kw (1.3M Btu/hr) Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy Models BSO30 to BSO85: direct drive fans, 1ph motor 	
 Oil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank) 13 Models - heat outputs up to 381Kw (1.3M Btu/hr) Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy Models BSO30 to BSO85: direct drive fans, 1ph motor Model BSO120: 3ph motor & v-belt drive 	Also available: Suspended Unit Heaters Call your local branch for more information & prices
 Oil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). 13 Models - heat outputs up to 381Kw (1.3M Btu/hr). Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy. Models BSO30 to BSO85: direct drive fans, 1ph motor Model BSO120: 3ph motor & v-belt drive Combustion air inlet kit as standard 	Also available: Suspended Unit Heaters Call your local branch for more information & prices Propane Gas Fired
 Oil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). 13 Models - heat outputs up to 381Kw (1.3M Btu/hr). Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy. Models BSO30 to BSO85: direct drive fans, 1ph motor Model BSO120: 3ph motor & v-belt drive Combustion air inlet kit as standard Thermostat, time control, oil filter & fire valve 	Also available: Suspended Unit Heaters Call your local branch for more information & prices
Oil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank) 13 Models - heat outputs up to 381Kw (1.3M Btu/hr) Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy Model BSO30 to BSO85: direct drive fans, 1ph motor Model BSO120: 3ph motor & v-belt drive Combustion air inlet kit as standard Thermostat, time control, oil filter & fire valve Main fan filter kits available for dusty/hazardous places	Also available: Suspended Unit Heaters Call your local branch for more information & prices Propane Gas Fired Heaters
 Dil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). 13 Models - heat outputs up to 381Kw (1.3M Btu/hr) Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy Models BSO30 to BSO85: direct drive fans, 1ph motor Model BSO120: 3ph motor & v-belt drive Combustion air inlet kit as standard Thermostat, time control, oil filter & fire valve Main fan filter kits available for dusty/hazardous places Extra cost: flue kit (from £270) 	Also available: Suspended Unit Heaters Call your local branch for more information & prices Propane Gas Fired
 Other Cabinet Heaters So models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). A Models - heat outputs up to 381Kw (1.3M Btu/hr). Bectro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy. Models BSO30 to BSO85: direct drive fans, 1ph motor. Model BSO120: 3ph motor & v-belt drive Ombustion air inlet kit as standard Thermostat, time control, oil filter & fire valve. Man fan filter kits available for dusty/hazardous places. Extender flue kits (extra) provide 	Also available: Suspended Unit Heaters Call your local branch for more information & prices Propane Gas Fired Heaters • Heavy duty, clean combustion,
 Oil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). 13 Models - heat outputs up to 381Kw (1.3M Btu/hr). Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy. Models BSO30 to BSO85: direct drive fans, 1ph motor. Model BSO120: 3ph motor & v-belt drive Ombustion air inlet kit as standard Thermostat, time control, oil filter & fire valve. Main fan filter kits available for dusty/hazardous places Extra cost: flue kit (from £270) 	<section-header>Also available: Suspended Duit Heaters Call your local branch for more information & prices Algorithm Construction Constru</section-header>
 Oil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). A Models - heat outputs up to 381Kw (1.3M Btu/hr). Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy. Models BSO30 to BSO85: direct drive fans, 1ph motor. Model BSO120: 3ph motor & v-belt drive Combustion air inlet kit as standard Thermostat, time control, oil filter & fire valve. Main fan filter kits available for dusty/hazardous places. Etromostati (from £270) Standard flue kits (extra) provide 4.6m ground clearance: ES Flue Kit for BSO30 & 40 (0 5"), For for BSO00 (0 6") 	<section-header>Also available: Suspended Duit Heaters Call your local branch for more information & prices Understand Also available: The propended Different States Support States</section-header>
 Oil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). A Models - heat outputs up to 381Kw (1.3M Btu/hr). Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy. Models BSO30 to BSO85: direct drive fans, 1ph motor. Model BSO120: 3ph motor & v-belt drive. Combustion air inlet kit as standard Thermostat, time control, oil filter & fire valve. Main fan filter kits available for dusty/hazardous places. Extra cost: flue kit (from £270). Standard flue kits (extra) provide 4.6m ground clearance: FIF He Kit for BSO30 & 40 (05").	<section-header>Also available: Suspended Duit Heaters Call your local branch for more information & prices Propane Gass Fired Leaueus - Heavy duty, clean combustion, eay to maintain - High capacity at a low price - Piezo push button ignition - Hermocouple flame protection - Adjustable capacity regulator</section-header>
 Oil Fired Cabinet Heaters BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). 13 Models - heat outputs up to 381Kw (1.3M Btu/hr). Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished Centrifugal air circulation enhances life expectancy. Models BSO30 to BSO85: direct drive fans, 1ph motor. Model BSO120: 3ph motor & v-belt drive Combustion air inlet kit as standard Thermostat, time control, oil filter & fire valve. Main fan filter kits available for dusty/hazardous places. Etromostatie (from £270): TROMOSTING Standard: Standard flue kits (extra) provide 4.6m ground clearance: ES Flue Kit for BSO30 & 40 (0 5"). Standard flue Kits (extra) provide 4.5m ground clearance: ES Flue Kit for BSO80 & 40 (0 5"). Standard flue Kits (estra) provide 4.5m ground clearance: ES Flue Kit for BSO80 & 40 (0 5"). 	Also available: Suspended Duit Heaters Call your local branch for more information & prices Algour local branch for more information & prices
Oil Fired Cabinet Heaters SSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). • 13 Models - heat outputs up to 381Kw (1.3M Btu/hr). • 14 Models - heat outputs up to 381Kw (1.3M Btu/hr). • 15 Models - heat outputs up to 381Kw (1.3M Btu/hr). • 16 Actro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished • Centrifugal air circulation enhances life expectancy. • Models BSO30 to BSO85: direct drive fans, 1ph motor. • Model BSO120: 3ph motor & v-belt drive • Combustion air inlet kit as standard • Thermostat, time control, oil filter & fire valve. • Main fan filter kits available for dusty/hazardous places. • Termostat, time control, oil filter & fire valve. • Model Source fulle kit (from £270): From Form Form Form Form Form Standard flue kits (extra) provide Aff ground clearance: For BSO80 & 120 (g 61°) For BSO80 & 120 (g 7°) Ko for BSO80 (g 61°)	<section-header>Also available: Suspended Duit Heaters Call your local branch for more information & prices All your local branch for More information & prices All</section-header>
Oth Eficed Cabinet Heaters 9. So models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). 1. Models - heat outputs up to 381Kw (1.3M Btu/hr). 1. Bectro-zinc coated steel cabinet, inner heat shield sin, outer skin epoxy powder coat finished 0. Centrifugal air circulation enhances life expectancy. 1. Models BSO30 to BSO85: direct drive fans, 1ph motor. 1. Model BSO120: 3ph motor & v-belt drive. 1. More than filter kits available for dusty/hazardous places. 1. Thermostat, time control, oil filter & fire valve. 1. Motor for BSO80 to BSO30 to BSO30 to 80 (08 fr). Youtput School (16 fr). 1. The Stose fulle (16 responder 06 fr). 1. Wat Meat School (06 fr). 1. Model Met Mather Stage Meaton 0500 (06 fr). 1. Model Met Mather Stage Meaton 0500 (06 fr). 1. Model Met Mather Stage Meaton 0500 (06 fr). 1. Model Met Mather Stage Meaton 0500 (06 fr). 1. Model Met Mather Stage Meaton 0500 (06 fr). 1. Motor Meaton 0500 (06 fr).	Also available: Suspended Duit Heaters Call your local branch for more information & prices Algour local branch for more information & prices
Oil Fired Cabinet Heaters 9. Soc models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). 1.3 Models - heat outputs up to 381Kw (1.3M Btu/hr). 1.4 Models - heat outputs up to 381Kw (1.3M Btu/hr). 1.5 Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished 0. Centrifugal air circulation enhances life expectancy. 0. Models BSO30 to BSO85: direct drive fans, 1ph motor. 0. Model BSO120: 3ph motor & v-belt drive 0. Ombustion air inlet kit as standard 1. Thermostat, time control, oil filter & fire valve. 0. Main fan filter kits available for dusty/hazardous places. 1. Wing Songerson Standard flue kits (extra) provide 4.0 mg round clearance: IF Staw for BSO30 to BSO85: direct Consumption Supply 1. Standard flue kits (extra) provide 4.0 mg round clearance: IF Staw for BSO30 to BSO85: direct Consumption Supply 1. Standard flue kits (extra) provide 4.0 mg round clearance: IF Staw for BSO30 to 9.000 Btu/hr 2196 m3/hr 2 Image: Stam for the stam stam for the stam stam stam stam stam stam stam stam	<section-header>Also available: Also available: Suspended Dubt Heates Bill your local branch for more information & prices Orgense And Stream Propage Agas Faired Deates Piso Advective A a normation say to maintain Piso Pape Agas Calledon Piso Pape Agas Pape Agas Protection Piso Pape Agas Protectino Pi</section-header>
Oil Fired Cabinet Heaters 9. Soc models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank). 9. 13 Models - heat outputs up to 381Kw (1.3M Btu/hr). 9. Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished 9. Centrifugal air circulation enhances life expectancy. 9. Models BSO30 to BSO85: direct drive fans, 1ph motor. 9. Model BSO120: 3ph motor & v-belt drive 9. Ombustion air inlet kit as standard 9. Thermostat, time control, oil filter & fire valve. 9. Main fan filter kits available for dusty/hazardous places. 9. Teartease: flue kit (from f270) 8. Standard flue kits (extra) provide famout the store of the	<section-header>Also available: Also available: Suspended Duit Heaters Call your local branch for more information & prices Organic Alegan State State State State State Duit State State State State State State State State State State State State Stat</section-header>

Infra-Red Radiant Oil Fired Heaters

(IFT21 / VAL MIDI / VAL6 1 STEP)

- Photocell flame control •
- High pressure burner
- Spot heating with no air flow •
- Fuel gauge
- HxWxD:
- VAL6 1 STEP: 930 x 620 x 1200mm 810 x 660 x 710mm VAL MIDI:
- IFT21: 560 x 360 x 530mm
- Room ventilation is required

				WALC 4 CTED		\sim	ONLY
Model	Nett Heat Output	Consumption	Fuel Tank	VAL6 1 STEP			CONDR
IFT21	70,000 Btu/hr / 20 kW	1.5 L/hr	15 L		A BEER		
VAL MIDI	112,000 Btu/hr / 33 kW	3.1 L/hr	35 L			ONLY	5 Year Lease £5.73 pw
VAL6 1 STEP	140,000 Btu/hr / 40 kW	3.7 L/hr	40 L		IFT21	(5415)C)	

ONLY 5 P.

5 Year Lease £6.84 pv



We provide a full range of heaters, downflow fans, dehumidifiers, etc. Ask your local branch for more details.

ALL Thermobile prices are for supply only, UK Mainland. Installation is available at an additional cost



VAL MIDI


Smart Products, Smart Prices, Smart Promise...from the people who care!

Commercial Vehicle

ATF Test Lanes



Contact us - see the back cover for details



ng & Testing





Smart Products, Smart Prices, Smart Promise...from the people who care!