

C / SMART CHOICE

PARTNER OF INTERNATIONAL

The leading automotive parts distributor in Europe

CV Issue 4

Whatever your vehicle, we supply all the parts, consumables, tools, equipment & training you need







AdBlue® Reducing Agent

Available
SAME DAY
FROM
STOCK!
BlueCat®



Quality Tools

Whatever the job, we have the tools





ASER°

GREAT VALUE! **Suspended Heaters**

Time to sort out your space heating!





Contact us - see the back cover for details

Offers end 31st Oct 2015

CVSMARTCHOICEnews

Steering you in the right direction

Steering gears drive the operating mechanism of the steering system. Worn or damaged gears can leak fluid, reducing the performance and reliability of the vehicle's power steering system.

A vehicle with anything less than perfect steering is a danger to the driver and other road users. Vehicle recovery and repair is so expensive that vehicle downtime is something fleet owners want to avoid.

Tested in the lab, controlled throughout production, then perfected on the road, you can choose TRW's Proequip heavy commercial vehicle steering and suspension parts with complete confidence. Facilities, tools and test equipment have been developed for the HCV range, with processes controlled by the latest software.


TRW Proequip steering gears use the highest quality materials - TRW's own OE components - offering superior performance, reliability and safety. TRW manufacture the major components of the steering and suspension system including

steering columns, steering pumps, steering gears, pitman arms, tie rods, tie rod ends, v-links and radius rods.

A global innovator of the safest steering and suspension parts, TRW has developed the very latest future-forward OE technology XCAP range. Smaller, stronger and more durable, the range features enhanced dust covers and improved steering comfort due to reduced torque. XCAP ball joints last up to four times longer than competitor parts!

Call your local IFA Member to order.





LED lighting - more cost-effective than you think?

LED lighting technology offers a host of advantages to end users and now is becoming a more cost-effective option. Extended service life (usually maintenance free), excellent light output from compact designs and low current draw (less strain

on alternators and batteries) are valuable benefits.



ESG (ECCO Safety Group) is a worldwide leader in CV warning and safety products, including directional LEDs, beacons, lightbars, back-up alarms, CCTV, worklamps and LED utility bars.

Their UK companies include ECCO, Britax and Premier Hazard.

Contact your local IFA Member to order and to request the latest product guide.



Smart Choice CV Issue 2 Winners

Issue 2 featured a bundle of VISION lamps kindly donated by The Workshop Warehouse as a reward for the customer acquiring the most garage equipment in Feb/Mar/Apr '15. Mr. Graham Deacon of Deacon Truck & Trailer Ltd is pictured below, scooping up the bundle, following his purchases from Truck & Trailer Specialists Ltd, with our congratulations. A

FREE EHL190 also went to each of the individual IFA Member company's top spender:

Devon Fleet: Stan Robinsons • Fleetwheel: John Gwynne Commercials • Fyfes: Muldoon Transport Systems Ltd • Hereward Car & Truck Components: Neville Tilley Transport • HGV Direct: Collins Earthworks Ltd • Linings & Hoses: Mansfield Group • Multitruck: G A Auto Electrical • Picksons: Border 4x4 • Truck Parts North Wales: Car2Commercial • Wrightpart: Colets Piling Ltd







BTN Bodywarmer when you buy a BTN Turbo during October!

Contact your local branch for full terms & conditions



NO QUIBBLE

For 12 months after purchase, enjoy our famous No Quibble Warranty on all CV diesel turbos

- 2 Year warranty included against manufacturing defects
- ✓ 2,500+ Part numbers available from stock
- ✓ Ready-to-fit with FREE FitKit & turbo primer
- ✓ Diagnostics advice & support at www.btnturbo.com

WHY TAKE THE RISK WITH ANYTHING LESS?!











CV Smart Choice Issue 4 Terms & Conditions: Offers end 31st October 2015. All offers subject to availability and change without notice. Certain featured products may not be stocked by all IFA members. Call your local IFA Member with any stock or pricing queries. These offers cannot be used in conjunction with any other offer except at the discretion of your local IFA member. All prices shown are exclusive of VAT. Pictures used are for illustrative purposes only and products are not shown at actual size or to scale. All product/marketing claims are the responsibility of the company on behalf of whom they are made and are not the liability of the IFA or its agents. E & OE.

All lease payment examples are based on a 60 month repayment period and with a ILL DEPOSIT facility. All lease figures quoted are subject to VAT and dataset. Alternative lease plans are available and teature. Alternative lease plans are available and teature that the subject to VAT and dataset. Alternative lease plans are available and the ballowed to the subject to VAT and dataset. Alternative lease plans are available and contained and the subject to VAT and the subject to VA



All the latest products to suit all major manufacturers and models including: DAF, Iveco, MAN, Mercedes-Benz, Renault, Scania & Volvo



Air Filter Box (SCBODY737)

Front Bumper DFBODY400

Head Light Panel (LH, VLBODY671)

Order today from your local IFA Member Visit us online at www.ucgroup.com



MP4

Main Door Panel (LH SCBODY767)

Everything you need, in one place...

Did you know...

...Valeo - one of the largest and most complete product and service offerings in the Aftermarket

Did you know... Valeo covers all these systems: braking, lighting, thermal, A/C, transmission, electrical, security and wiper

Did you know... Valeo's range of 1000+ part numbers serves trucks, coaches, buses, agricultural vehicles and LCVs for the UK commercial vehicle parc including Mercedes-Benz, Volvo, Scania, DAF, Iveco, MAN and Renault

Valeo, your commercial vehicle multi-specialist

valeo added" IIIIIII



Automotive technology, naturally





Power and durability when you need it most

CV clutches and DMF from SACHS



SACHS have supplied the automotive industry with clutches for more than 80 years, during which time over 200 million clutches have been produced. SACHS clutches are specified as Original Equipment by every major European commercial vehicle manufacturer, making SACHS the unrivalled market leader. It's a fact that SACHS clutches are fitted to most commercial vehicles imported into the UK. So when it comes to fitting a replacement clutch insist on SACHS, the same original guaranteed quality components from Europe's leading manufacturer. SACHS Clutches are available from your local IFA Member.

www.zf.com/uk



febi bilstein

feating \$ rooling Parts



Air Conditioning Compressor

0E No: 51.77970.7026 to fit: MAN

ONLY

Compressor Airline

OE No: 1909 791 to fit: DAF CF85. XF95, XF105

ONLY

Air Conditioning Dryer

OE No: 20490945 to fit: Volvo FH12, FH16 ONLY

Heater Motor

OE No: 81.61930.0036 / 000 830 93 08

to fit: MAN, Mercedes-Benz

ONLY

Pollen Filter

(31323)

OE No: 83.77972.0656 / 001 835 92 47

to fit: MAN. Mercedes-Benz 0350, 0530, 0580

ONLY



Pollen Filter

OE No: 88.77910.0002 / 001 835 27 47

to fit: MAN Centroliner, Cityliner, Lion's City, Skyliner

Mercedes-Benz

ONLY

Call your local **IFA Member** to order



www.febi.com





2 litre, 10 litre, 18 litre & 210 litre packs AVAILABLE SAME DAY from your local IFA Member
not all pack sizes stocked by all IFA Members; IBCs available to order

equipment is available - just call your local IFA Member to order

"AdBlue®" is the registered trademark of the Verband der Automobilindustrie e.V. (VDA)

THE DOs:

- ONLY use AdBlue® from AdBlue® licensees, registered by VDA
- ONLY use dedicated AdBlue® equipment for storage & dispensing
- Store AdBlue® below 30°C to maintain its shelf life (12 months)
- Store AdBlue® above -11°C to keep it in liquid form (NB: AdBlue® freezes & thaws without any loss of quality)

THE DON'Ts:

- DON'T use a product claiming to be AdBlue®, but calling itself "Urea solution" or similar
- DON'T use AdBlue® as a diesel additive
- DON'T add AdBlue® into any fuel tank
- DON'T operate your vehicle without AdBlue®
- DON'T store AdBlue® in direct sunlight

Expert Quality CV Tools

Cordless Grease Gun 18V (60992)

Impressive 8,000 psi high-pressure output

CV Boot Band Kit 3pc (30784)

Cut, tension & clamp CV joint band correctly

200mm CV boot band cutters (for use on CV

240mm CV pliers (tighten ear-type CV bands)

- Takes standard 400g grease cartridge (bulk or manual filled)
- 2 x 18V Ni-Cd battery packs & 1 hr charger
- Chromed steel canister
- Rubber reinforced tube
- High pressure grease nipple
- Constant 70g/min flow rate

ONLY

bands up to 6mm wide)

Reinforced 1/2" sq. dr.

handle recesses for

breaker bar or

torque

wrench

ONLY

225mm CV band cutting tool

Induction Heating Tool (80808)

- Ideal for freeing seized fixings & fasteners
- Easy-to-use, simply install appropriate coil & place over/around ferrous metal to be heated
- Efficient, safe heating of metallic conductive parts compared to traditional methods
- 2 x Direct coils: 19mm, 26mm
- 1 x Flex coil, 1 x Pad coil

ONLY



HGV Clutch Alignment

Tool 6pc (41803)

- Fast, accurate alignment of flywheel pilot hole with clutch drive plate
- Precision manufactured
- 2 x Expanding mandrels: Ø 36-44mm, Ø 44-52mm
- 4 x Steel screw-in location pins: Ø 20mm, 25mm, 27mm & 30mm
- Robust case

ONLY

20 Tonne Bottle Jack

- Unique overload protection system, large stable base, notched saddle, 2 handles
- Manufactured to EN1494 specification

ONLY



Hydraulic Ball Joint Separator

- Removes CV ball joints with minimal effort
- Interchangeable jaws, forged carbon steel body Adjustable jaw with max. opening 95mm
- Hydraulic ram & main body
- 2 x Manual thrust bolts (approx lengths): 19 x 103mm long, 19 x 120mm long
- 1 x Insert screw bung, 24mm hex
- 3 x Jaws: 30mm, 34mm, 40mm
- Instructions & case

ONLY





Order from your local IFA Member today

Air Hammer

- Air hose 3/8" ID
- Air inlet 1/4" BSP
- Average air consumption 4.0cfm
- 2200 bpm, 98mm Stroke length
- Variable speed trigger
- Built-in power regulator
- Quick change chuck

ONLY





Air Hammer Extractor (6092)

- Transmits impact force/vibration to a 5/8" thread adaptor Extracts stuck Check out
- diesel injectors
- Adaptors available

ONLY







Slide Hammer Adaptor **HGV 5th Wheel Hinge Pin (6038)**

- For Jost & Fontaine couplings with blind hinge pins equipped with an M20 x 2mm internal thread
- Use with 5/8" thread slide hammer (7.5 kg (5269) or 4.5 kg (4811))
- Removes pin with ease

ONLY



Brake Caliper Socket 11pt - HGV (6243)

- 11 Point x 3/8"D
- Use on Knorr-Bremse calipers, type SB, SK, SN, typically found on DAF / Foden, MAN, Mercedes-Benz, Scania, BOVA, plus BPW & SAF trailers
- Length 26mm
- Chrome vanadium
- Manganese phosphate finish

ONLY





Wheel Nut Socket 3/4"D Extra Long

- Chrome molybdenum
- Phosphate finish
- 6 popular sizes 24mm 36mm

24mm (6213) 27mm (6214)

ONLY

30mm (6215) 33mm (6217) 32mm (6216)

ONLY

36mm (6218) **ONLY**

Brake Shoe Spreader (5280)

 Volvo Trucks N7, N10, N12, F7, F12, F16, FH12, FH16, FL7, FL10

Holds brake shoe open to allow shoe lining to be changed

HGV Cooling System Pressure Tester (5615)

- DAF, ERF, Iveco, MAN, Mercedes-Benz, Renault, Scania, Sprinter, Volvo
- · Includes pressure pump with gauge

ONLY





WABCO

Call your local IFA Member for quality diagnostic equipment

TRAILER Diagnostic Hardware & Cables







Diagnostic Cable (446 300 329 2)

 Blue cap socket ONLY

CAN Adaptor (446 300 360 0)

ISO socket

ONLY



(446 300 361 0) ISO socket

ONLY





Full Kit with Case

(446 301 023 0) Cable set & interface

ONLY



TRUCK Popular Diagnostic Cables

ABS D Basic (446 300 408 0) Direct to ECU

ONLY

(446 300 003 0)

(446 300 456 0)

ONLY

Direct to ECU

ONLY

MB, MAN, DAF

ECAS CAN-2



DAF ABS/EBS/ECAS (446 300 453 0) Diagnostic socket ONLY

ABS/ECAS 35-pin (446 300 327 0)

ONLY

Note: the correct WABCO software/diagnostic interface must be used in conjunction with these c

Call your local IFA Member to order

(branch details on the back cover) www.sealev.co.uk

Cordless Impact Wrench (CP2450)

- 24V, 1/2"Sq Dr, 410lb.ft
- Includes spare battery: 24V, 1.7Ah (CP2450BP)

ONLY





Turbo System Leak Detector (CV2030)

- · Pressure gauge, shut-off & pressure release valve
- 3 Pairs of stepped adaptors

ONLY



Supplied with storage case



Impact Socket Set 16pc (AK5816M)

• 1/2"Sq Dr deep metric, 10-32mm

ONLY

HD Rotary Pump (TP57)

- For use with AdBlue®
- Polypropylene, 0.35L / revolution 1300mm Extension hose
- 2" BSP connector (for 205L drums)

ONLY

Tyre Bead Seating Tool

Easy-to-use with an instant result

Dumps air into tyre void forcing tubeless bead to seat against rim for inflation

ONLY

Oil Filter Cap Wrench Set (VS7007)

- 9pc 1/2" Sq Dr Strap wrench, 21mm Cup wrench

ONLY



gauge & safety valve prevents over-pressurising





Technical Services Exchange Diesel Pumps & Injectors for

CARWOOD

Diesel Systems

AVAILABLE NOW

Call your local

IFA Member

to order

- CV, LCV, PSV, Plant & Off Highway Vehicles
- Inline Pumps & Mechanical Injectors
 Rotary Pumps Common Rail Pumps & Injectors
- **Electronic Unit Pumps & Injectors (EUP/EUI)**
- **DAF 'Smart' Electronic Unit Pumps & Injectors**



- Not "repaired" but fully remanufactured in the most advanced independent diesel facility in Europe
- Highest quality to latest OE specifications
- 100% Replacement of all critical wearing parts
- Only genuine OE specification parts used
- ALL units tested using OE test procedures, data & equipment & coded to OE specification where required

DIESEL SYSTEMS REMANUFACTURING SPECIALISTS





Can you identify the suspect?



One of these products is Genuine OE manufactured, the other is reconditioned. They both look the same – but that's where the similarity ends!

One is 7 years old, has already performed millions of brake operations, has been cleaned, re-sprayed, and had the seals replaced. Would you fit this to your vehicle?

The genuine part is entirely brand new and has guaranteed quality, reliability and safety built-in. Why wouldn't you fit this to your vehicle?

Make sure you can identify the suspect.

Always specify genuine Knorr-Bremse parts. Made using the finest materials and techniques, setting new standards in quality control and guaranteed to last longer and be more cost effective in the long run than reconditioned product.

Contact your local IFA Member for genuine KNORR-BREMSE parts

knorr-bremseCVS.com





SAFETY » RELIABILITY » QUALITY » COST-EFFECTIVE

Oil Fired Cabinet Heaters

 BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank)

13 Models - heat outputs up to 381kW (1.3M Btu/hr)

- Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished
- Centrifugal air circulation enhances life expectancy
- Models BSO30 to BSO85: direct drive fans, 1ph motor
- Model BSO120: 3ph motor & v-belt drive
- Combustion air inlet kit as standard
- Thermostat, time control, oil filter & fire valve
- Main fan filter kits available for dusty/hazardous places
- Extra cost: flue kit (from £270)



Standard flue kits (extra) provide 4.6m ground clearance FK5 Flue Kit for BSO30 & 40 (Ø 5") FK6 for BSO60 (Ø 6") FK7 for BSO85 & 120 (Ø 7")

| Model | Nett Heat | Fan | Swivel | Consumption | Supply |
|--------|----------------|-------------------------|--------|-------------|--------|
| | Output | Capacity | Heads | | |
| BSO30 | 109,000 Btu/hr | 2196 m3/hr | 2 | 3.43 L/hr | 230V |
| BSO40 | 146,440 Btu/hr | 2556 m3/hr | 2 | 4.67 L/hr | 230V |
| BSO60 | 203,330 Btu/hr | 3708 m3/hr | 2 | 6.46 L/hr | 230V |
| BSO85 | 280,530 Btu/hr | 5004 m3/hr | 3 | 9.10 L/hr | 230V |
| BSO120 | 418,000 Btu/hr | 7740 m ³ /hr | 3 | 13.30 L/hr | 415V |



Suspended Unit Heaters

- Available for heating oil, natural gas or propane fuels
- Oil Fired: heat capacities 31kW to 98kW
- Gas Fired: heat outputs 15kW to 84kW with roof or wall flue exit
- Suspend or mount (on a suitable non-combustible support)
- Four M10 suspension points provided
- Free-blowing or ducted models
- Installation service (in most areas)
- **Huge range** call your local IFA Member to arrange a site visit to determine the right model for your space



Automatic Ignition Used Oil Heaters

- Clean combustion, high efficiency
- Large airflow blower fans & large capacity fuel tanks
- Fan-only for summer ventilation
- Burners adjustable for heating oil or diesel
- Basic room thermostat standard
- Optional digital thermostat / time control
- Compressed air supply required for burner
- Available (extra cost):
- Flue Kit (from £269)
- Motor/Pump kits for connection to bulk fuel tank
- Fire Valves, Magnetic Valves & High Pressure Filters for use with Pump Kits

Offer Price 5 Yr Lease pw SB40 £3599 £19.14 SR60 £3899 £20.74

£5499 SB80 £29.25 SB110 £5999

FROM



| Model | Heat Capacity | Fan Capacity | Fuel Tank | Consumption | Compressed Air | Supply |
|-------|----------------|-------------------------|-----------|-------------|----------------|--------|
| | | | | | Displacement | |
| SB40 | 153,000 Btu/hr | 3200 m ³ /hr | 80 L | 4.6 L/hr | 1.0 - 1.3 CFM | 230V |
| SB60 | 204,000 Btu/hr | 4100 m ³ /hr | 80 L | 6.0 L/hr | 1.5 - 1.8 CFM | 230V |
| SB80 | 306,000 Btu/hr | 6200 m ³ /hr | 130 L | 9.0 L/hr | 2.0 - 2.6 CFM | 400V+N |
| SB110 | 436,000 Btu/hr | 8100 m ³ /hr | 130 L | 12.8 L/hr | 3.0 - 3.6 CFM | 400V+N |
| | | | | | | |

These units must be connected to a suitable flue system (min. 1m above roof apex & 6m above ground level).

A full range of flue accessories is available. Complete flue kits include roof seal, fitting kit & two wall bands.

Stainless steel flue kits provide 6m ground clearance:

98.085.746 for SB40 98.085.100 for SB60

98.085.170 for SB80 & SB110

Optional extras (additional cost):

98.085.399 Motor/Pump kit - for connection to bulk fuel tank with bottom outlet, gravity fed. Max distance 10m. (Pipework/electric cable not included)

98.087.161 Motor/Pump kit - for connection to bulk fuel tank with top outlet &/or above 10m distance (Pipework/electric cable not included)

98.085.890 Digital Stat/Timer

98.085.541 Main Fan Filter kit (SB40 & SB60) 98.085.542 Main Fan Filter kit (SB80 & SB110)

How much heat do I need?

Providing a 'comfortable' working temperature is necessary both for people to work safely/productively and a legal requirement. But how do you work out how much heat you need, so that you can specify and purchase the right heater(s)? Important factors:

- The standard of insulation in your building
- How much warm air escapes through frequently opened doors
- The outside temperature
- The comfortable temperature for people moving about (and so generating some body heat) is 15°C (59°F)
- Calculations of how much heat is required are based on a ΔT of 20°C (i.e. ambient temperature -5°C, required temperature +15°C)

Which description best fits the building or space that you want to heat?

No insulation (e.g. corrugated sheet) doors frequently opened

Z = 9 Btu/cu.ft

Poor insulation (e.g. single skin brick or block) some single glazed windows, doors opened fairly often

Z = 7 Btu/cu.ft

Average insulation (e.g. double skin brick or block), windows single glazed, roof insulated, doors not opened much Z = 5 Btu/cu.ft

Good insulation (e.g. blocks plus cladding with insulation between), few or double-glazed windows, doors rarely opened Z = 3 Btu/cu.ft

Here is your step by step guide for working out how much heat you need:

1. To calculate the volume to be heated, first note the dimensions of the space you are

heating: Length feet Width Average Height (H)feet

out the handy diagram belo


2. Multiply (L) x (W) x (H) = Volume (V) cubic feet

3. Select the best description for the space to be heated from the box alongside & fill in (Z) Btu/cu.ft

Multiply (V) x (Z) = Btu/hr This is the total heat required, enabling you to specify & purchase the right heater(s)

HINT: A building with no insulation in an area that experiences extremely adverse weather conditions may require up to 9 Btu/cu.ft, so Z = 9 Btu/cu.ft

TOP TIP: For general calculation we recommend Z = 5 Btu/cu.ft





We offer a full range of heaters, downflow fans, dehumidifiers, etc. Ask your local IFA Member for more details.

ALL Thermobile prices are for supply only, UK Mainland. Installation is available at an additional cost





www.bradburyequipment.co.uk



Fully Automatic Tyre Changer

- Truck/bus wheels from 14"-30"
- Run flat, low profile & high performance tyres

ONLY

5 Year Lease £42.55 pw

Elan Automatic Wheel Balancer (TBM 500)

- Truck, bus, car & car derived van wheels with pneumatic wheel lift
- LCD video display
- Multi operator program
- Truck wheel mounting kit included

ONLY

5 Year Lease £30.85 pw

Oil Distribution Centre (LA 738)

• Self-contained drum stand & distribution centre

ONLY

5 Year Lease £7.87 pw



NEW Concept Chuck

with 2 height positions

Self-assembly

(kit supplied)

Tecalemit ATF: Proven Performers

Tecalemit is a leading provider of DVSA approved ATF lanes along with lifting, lubricating & servicing equipment. Packages can include:

- Inspection pits
- Roller brake testersWheel play detectorsPit jacksSmall tools
- Emission testers
- Radius turning plates CCTV
- Communication systems
- · Civil & Electrical works

Each installation is bespoke to each facility Tecalemit workshop designers prepare CAD drawings for optimum design using Tecalemit approved equipment



16t 4 Post Leviathan Lift

- 8m Platform length
- Wide access between columns
- Synchronized heavy duty motors

ONLY







Finkbeiner **Mobile Column Lifts**

- Electro hydraulic Rapid lifting time
- Cable free communication options
- Long life battery pack, adjustable lift forks

FROM

07174SCV4 Pro Booster 6200 12V/24V

- 12V DC output socket
- Heavy duty booster clamps
- 1880/940A Cranking rate
- Copper cables
- Mains fast charger
- 12 Month battery warranty
- Digital display
- Voltage spike protection
- ON/OFF switch
- Buzzer & light alarm for wrong polarity

ONLY





machinery specialists since 1968

Superb Products, **Exceptional Prices** ...only from SIP

Pick up a copy of the latest SIP promotions from your local branch for even more deals!

FREE Headshield

& Foot Pedal

VORTH OVER £175!

Pro Booster Jump starts engines up to 550hp

05189CV4 Weldmate P214HF Inverter Welder with Pulse

EXCLUSIVEIFA PACKAGE

SWISS MADE

• 230V (16A) Supply

- Latching system for 2 or 4 touch control TIG:
- Easy starting
- Very high duty cycle: 200A @ 60% TIG output
- 10A to 200A Welding current
- Weld thickness 0.3mm to 5mm
- Pulse for v thin material

ARC:

- Very high duty cycle: 180A @ 60% ARC output
- 10A to 180A welding current Electrode size: 1.6mm to 4mm
- Weld thickness: 1.1mm to 7.2mm
- · Anti-stick circuitry

ONLY

09178CV4 **Hiton HP125** Universal Oil Heater

- Efficient, clean, virtually soot-free combustion using waste oil/diesel
- Burns most engine oils (mineral, synthetic), gear & hydraulic oils
- 230V (13A) SupplyMin. heat output: 72,000 BTU/hr (21kW)
- Max. heat output: 102,400 BTU/hr (30kW)
- Approx. heating area: 668m3 (24,297 cu.ft)
- Fuel consumption:

Min. output: 1.8 kg/hr (2.14 ltr/hr) Max. output: 2.9 litres/hr (3.44 ltr/hr)

- 50 Litre fuel tank capacity Heavy duty painted finish
- Flue included (150mm Ø)
- Fan assisted



Ask your local branch for details of the full Hiton range





- 230V (16A) Supply
- 150 Litre air receiver
- 3.0hp (2.2kW) Motor
- Multi-finned flywheel improves cooling; cast iron barrel
- 16.0 CFM (453 litres/min) Piston displacement
- Max. free air delivery (F.A.D) 10.7 CFM (303 litres/min)
- ONLY



• Max. pressure 145psi (10 bar)





A Granning Group Brand



Suspension

Airsprings Shock Absorbers Truck & Trailer Springs



Air Brakes

Brake Chambers Slack Adjusters




Braking

Brake Drums & Discs Brake Pads Brake Calipers



Body & Electrical

Body Panels, Mirrors & Lights Pneumatic & Electrical Suzies



Chassis & Trailer

Fifth Wheels & Landing Legs Axle General Spares



Call your local IFA Member to order

www.airsprings.com

fleetwheel

CARDIFF 02920 378 191 NEWPORT 01633 841 645 **SWANSEA** 01792 775 111

TREDEGAR 01495 719 836